77 Rec'd PCT/PTO 06 NOV 2001

215239US2PCT

PRIORITY DATE

ILS. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFIC FORM PTO-1390 (Modified)

TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US)

CONCERNING A FILING UNDER 35 U.S.C. 371

INTERNATIONAL APPLICATION NO 3 May 2000 U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR

9264 6 May 1999

PCT/SE60/00881 TITLE OF INVENTION PROCEDURE AND DEVICE FOR CONTROL OF DATA FILE TRANSMISSION

APPLICANT(S) FOR DO/EO/US JOHANSSON Joachim et al.

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

- This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.
- This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. П
- This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include itens (5), (6), (9) and (24) indicated below.
- The US has been elected by the expiration of 19 months from the priority date (Article 31).
 - A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
 - is attached hereto (required only if not communicated by the International Bureau).
 - b. 🗵 has been communicated by the International Bureau.
 - is not required, as the application was filed in the United States Receiving Office (RO/US).
- 6. An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).
 - a. 🗆 is attached hereto.
 - has been previously submitted under 35 U.S.C. 154(d)(4). b. 🗆
- Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
 - are attached hereto (required only if not communicated by the International Bureau). a. 🗆
 - b: 🗆 have been communicated by the International Bureau
 - have not been made; however, the time limit for making such amendments has NOT expired.
 - have not been made and will not be made.
 - ☐ An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
- 9 An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
- 10 An English language translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).
- A copy of the International Preliminary Examination Report (PCT/IPEA/409).
- 12. A copy of the International Search Report (PCT/ISA/210).

Items 13 to 20 below concern document(s) or information included:

- An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
- 14 An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
- 15 A FIRST preliminary amendment.
- 16 A SECOND or SUBSEQUENT preliminary amendment.
- 17 A substitute specification.
- 18 A change of power of attorney and/or address letter.
- 19 A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.
- 20 A second copy of the published international application under 35 U.S.C. 154(d)(4).
- 21. A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).
- 22 ☐ Certificate of Mailing by Express Mail
- 23 Other items or information:

Request for Consideration of Documents Cited in International Search Report/Request for Priority PCT/IB/308

J.S. APPLICATION NO, (IF KNOWN, SEE 37CFR NTERNATIONAL APPLICATION NO. PCT/SE00/00881				ATTORNEY'S DOCKET NUMBER 215239US2PCT				
	(J9/926421	PC1/SE0	0/00881				
24.		e following fees are submitted:	(5)) •		1	CAI	LCULATIONS	PTO USE ONLY
BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5): Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and international Search Report not prepared by the EPO or JPO								
	□ International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO							
	International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.443(a)(2)) paid to USPTO							
International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4)								
	Internati and all c	ional preliminary examination fee (37 claims satisfied provisions of PCT Ar	Hele 33(1)-(+)		\$100.00	_		
		ENTER APPROPRI				<u> </u>	\$1,040.00	
Surcha nonth	arge of \$1 s from th	30.00 for furnishing the oath or declar e earliest claimed priority date (37 C	aration later than FR 1.492 (e)).	☐ 20		<u> </u>	\$130.00	
	AIMS	NUMBER FILED	NUMBER EXTR.	A	RATE	_	\$0.00	
Total (claims	14 - 20 =	0		x \$18.00	<u> </u>	\$0.00	
	endent cla		0		x \$84.00	-	\$0.00	
lultij	ole Deper	dent Claims (check if applicable).	ABOVE CALCU	TLAT		\vdash	\$1,170.00	
1		claims small entity status. See 37 CF	P 1 27) The fees indicate	ed abov	e are	1	31,170.30	
T r	Applicant educed b	y 1/2.	K 1.27). The lees mulcan	ica abov			\$0.00	
21 4				SUBT	TOTAL =		\$1,170.00	
Proces	ssing fee	of \$130.00 for furnishing the English e earliest claimed priority date (37 C	translation later than FR 1.492 (f)).	□ 20	□ 30 +		\$0.00	
9			TOTAL NATIO	ONAI	FEE =		\$1,170.00	
ee fo	or recordi	ng the enclosed assignment (37 CFR y an appropriate cover sheet (37 CFR	1.21(h)). The assignment 3.28, 3.31) (check if a)	nt must b	e e).		\$0.00	
6			TOTAL FEES I	ENCL	OSED =		\$1,170.00	
3						Am	ount to be: refunded	\$
2		0					charged	\$
a.	×	A check in the amount of\$1,1	70.00 to cover the al	oove fees	s is enclosed.			
b.	b. Please charge my Deposit Account No. in the amount of to cover the above fees. A duplicate copy of this sheet is enclosed.							
c.	×	The Commissioner is hereby authorito Deposit Account No. 15-003	A duplicate copy	y of this	sheet is enclosed			
d.								
NOT 1.137	E: When	re an appropriate time limit under)) must be filed and granted to rest	37 CFR 1.494 or 1.495 l ore the application to p	has not l ending s	been met, a petit tatus.	tion t	o revive (37 CFI	R
		ORRESPONDENCE TO:			hu	e 14.0	lı Subar	
		Surinder	Sachar		SIGNATURE	,,,,,		
Registration No. 34,423 22850			Marvin J. Spivak					
			NAME					
			24,913 REGISTRATION NUMBER					
			Mou. 6 2001					
					DATE	WU.	0 1001	

JC07 Rec'd PCT/PTO 0 6 NOV 2001

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF

JOACHIM JOHANSSON ET AL

: ATTN: APPLICATION DIVISION

SERIAL NO: NEW U.S. PCT APPLICATION

(Based on PCT/SE00/00881)

FILED: HEREWITH

FOR: PROCEDURE AND DEVICE

FOR CONTROL OF DATA FILE

TRANSMISSION

PRELIMINARY AMENDMENT

ASSISTANT COMMISSIONER FOR PATENTS WASHINGTON, D.C. 20231

SIR:

Prior to a first examination on the merits, please amend the above-identified application as follows.

IN THE CLAIMS

Please cancel Claims 1-18 without prejudice.

Please add new Claims 19-32 as follows:

19. (New) Procedure for control of data file transmission between transmitting units and receiving units, at which examples of a data file to be transmitted/transferred are stored at the transmitting units, comprising the steps:

to request transmission of segments of the data file from the transmitting units, and

to receive said segments from the transmitting units, when the transmission of one of said segments from one of the transmitting units is completed, to request transmission of one more segment of the data file from another transmitting unit of said transmitting units, at which the transmission of this one more segment from the another transmitting unit has started, at which the step to request transmission of one more segment includes the step

to request transmission of only a portion of said one more segment, at which the portion is included in the portion of the segment that as not yet been transferred.

- 20. (New) Procedure as claimed in patent Claim 19, wherein each segment is transmitted from only one transmitting unit.
- 21. (New) Procedure as claimed in patent Claim 19, wherein each transmitting unit transmits only one segment of the file.
- 22. (New) Procedure as claimed in patent Claim 19, wherein the step to request transmission of one more segment includes the steps
- to determine for which segment a largest portion of the segment remains to be transmitted, and
 - to request transmission of this determined segment.
- 23. (New) Procedure as claimed in patent Claim 19, wherein the step to request transmission of a portion of said segment includes the steps
 - to determine how large a portion of the segment that remains to be transferred,
- to estimate a transmission speed for the transmitting unit that is busy transmitting said segment and for the transmitting unit from which transmission of said portion is to be requested,
- to determine, depending on the estimate transmission speeds, how large said portion shall be, and

to request transmission of said portion.

- 24. (New) Procedure as claimed in patent Claim 19, further comprising the steps to estimate transmission speeds from respective transmitting units, and to request transmission of segments of different sizes, at which a size of respective segments is determined based on the estimated transmission speeds.
- 25. (New) Procedure as claimed in patent Claim 19, further comprising the steps to estimate transmission speeds from respective transmitting units, and to select transmitting units for the transmission with regard to the estimated transmission speed from the respective transmitting units.
- 26. (New) Device for control of data file transmission between transmitting units and receiving units, at which examples of a data file to be transferred is stored at a plurality of transmitting units, comprising:
- a device to request transmission of segments of the data file from the transmitting units, and
- a device to receive said segments from the transmitting units, when the transmission of one of said segments from one of the transmitting units is completed, to request transmission of one more segment of the data file from another transmitting unit of said transmission units, at which the transmission of the one more segment from the another transmitting unit has started, at which the device to request transmission of one more segment includes
- a device to request transmission of only a portion of said segment, at which the portion is included in that portion of the segment that has not yet been transferred.
- (New) Device as claimed in patent Clam 26, wherein each segment is transmitted from only one transmitting unit.

- 28. (New) Device as claimed in patent Claim 26, wherein each transmitting unit transmits only one segment of the file.
- (New) Device as claimed in patent Claim 26, wherein the device to request transmission of one more segment includes
- a device to determine for which segment a largest portion of the segment remains to be transmitted, and
 - a device to request transmission of this determined segment.
- 30. (New) Device as claimed in patent Claim 29, wherein the device to request transmission of a portion of said segment, includes
- a device to determine how large a portion of the segment that remains to be transferred.
- a device to estimate a transmission speed for the transmitting unit which is busy transmitting said segment and for the transmitting unit from which transmission of said portion is to be requested,
- a device to determine, depending on the estimated transmission speeds, a size of said portion, and
 - a device to request transmission of said portion.
 - 31. (New) Device as claimed in patent Claim 26, further comprising
 - a device to estimate transmission speeds from respective transmitting units, and
- a device to request transmission of segments of different sizes, at which said device is arranged to determine the size of respective segment based on the estimated transmission speeds.
 - 32. (New) Device as claimed in patent Claim 26, further comprising
 - a device to estimate transmission speeds from respective transmitting units, and

a device to select transmitting units for the transmission with regard to the estimated transmission speed from the respective transmitting units.

IN THE ABSTRACT OF THE DISCLOSURE

Please amend the abstract on page 16 as follows:

ABSTRACT

A procedure for control of data file transmission between transmitting and receiving units, at which examples of the data file to be transmitted/transferred are stored at a plurality of the transmisting units, and a device to effect this procedure. The control of the data file transmission is performed according to the following procedure. Transmission of segments of the wanted data file from a plurality of transmitting units is requested, and these segments are received from the transmitting units. When the transmission of a segment of the data file from a first server is finished, transmission of one more segment of the data file is requested, for which transmission from another server has started but not been finished, from the first server. This is after that repeated until all segments have been transmitted, at which transmissions in progress are stopped and the segments are put together to the wanted file.

REMARKS

Favorable consideration of this application, in view of the following comments and as presently amended, is respectfully requested.

The present preliminary amendment is submitted to place the above-identified application in more proper format under United States practice. By the present preliminary amendment original Claims 1-18 are cancelled and new Claims 19-32 are presented for

examination. New Claims 19-32 are deemed to be self-evident from the original disclosure, including the original claims, and thus are not deemed to raise any issues of new matter.

The Abstract has also been amended by the present response to be in more proper format under United States practice.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C.

furnder Sukar

Gregory J. Maier Attorney of Record Registration No. 25,599 Surinder Sachar Attorney of Record Registration No. 34,423



(703) 413-3000

Fax No.: (703)413-2220

GJM/SNS:kst

I:\atty\SNS\215239us-pr.wpd

Marked-Up Copy
Serial No:
Amendment Filed on:

IN THE CLAIMS

Please cancel Claims 1-18 without prejudice.

Please add new Claims 19-32.

IN THE ABSTRACT

--A procedure for control of data file transmission between transmitting [(30-33)] and receiving units [(20)], at which examples of the data file [(F) that shall] to be transmitted/transferred are stored at a plurality of the transmitting units [(30-33)], and a device to effect this procedure. The control of the data file transmission is performed according to the following[:] procedure. Transmission of segments [(S1-S4)] of the wanted data file [(F)] from a plurality of transmitting units [(30-33)] is requested, and these segments are received from [these] the transmitting units [(30-33)]. When the transmission of a segment [(S1-S4)] of the data file [(F)] from a first server [(31)] is finished, transmission of one more segment [(S1)] of the data file [(F)] is requested, for which transmission from another server [(30)] has started but not been finished, from the first server [(3,1)]. This is after that repeated until all segments [(S1-S4)] have been transmitted, at which transmissions [is] in progress are stopped and the segments [(S1-S4)] are put together to the wanted file [(F)].--

لرمي

PCT/SE00/00881

PROCEDURE AND DEVICE FOR CONTROL OF DATA FILE TRANSMISSION

Field of the invention

The invention relates to transmission of data files. More specifically the invention relates to a procedure for control of data file transmission between transmitting and receiving units, at which examples of the data file that shall be transmitted are stored at a plurality of units. The invention also relates to a device to perform this procedure.

Technical background

At transmission of data files from a transmitting unit, or a server, to a receiving unit, for instance over Internet, it frequently occurs that the transmitting unit, or the network that is utilized for the transmission, is overloaded. This may result in that the transmission speed from a server to the receiving unit will be very low, which in its turn results in very long transfer times and also can result in that the transmission will be unsuccessful. However, it is usual, i.a. on the Internet, that files are copied and distributed to a plurality of servers in order to share the load on these servers that files that are frequently requested to be transmitted can result in. This will reduce the risk of overloading and, of course, also opens for the possibility to break off a too slow transmission of a file, and request a transmission of the file from another server.

A problem in the situation is that the user or the receiving unit does not know which server, or which part of the network, that for the time being has a low load. By that there also will be the risk that also this server is, or will be, overloaded and that the transmission

10

is slowed down or has to be broken. There also is a risk of imbalance of networks and servers.

Summary of the invention

Consequently one aim of the invention is to create a procedure, and a corresponding device, for control of data file transmission that reduces the risk of overload of transmitting units and transmission networks.

It is also an aim of the present invention to create a procedure, and a corresponding device, that makes a more efficient control of data file transmission between transmitting and receiving units.

Above said and other aims are effected, according to the present invention, by a procedure and a device with the characteristics that are defined in the independent patent claims. Preferred embodiments are defined by the dependent patent claims.

According to a first aspect of the invention, this is expressed in a procedure of, by way of introduction, mentioned kind, including the steps to request transmission of segments of the data file from a plurality of transmitting units, and to receive segments from a plurality of transmitting units.

According to a second aspect of the present invention, a device is made, comprising device to request transmission of segments of the data file from a plurality of transmitting units, and device to receive said segments from a plurality of transmitting units.

The invention consequently is based on the understanding of the advantage of the transmission of the wanted data file being made from a plurality of transmitting units by different segments of the data file being transmitted from the different transmitting units. This results in the advantage that if a transmitting unit is overloaded, and the transmission speed from this unit is greatly reduced, only one segment of the file is

influenced. By that, the total transfer time of the file can be considerably reduced compared with if the whole file should be transmitted from a unit with low transmission speed. This solution requires that at least one example of 5 the data file that shall be transmitted exists at, at least, two transmitting units.

After finished transmission of the segments, the transferred segments are put together to a complete data file. This is preferably made in the receiving unit.

By segment is related to a certain amount of information of a data file. According to the invention, the data file that shall be transmitted consists of at least two segments of the same size, or of varying sizes. The size and number of the segments, and which part of the file the segment constitutes, is determined by the unit that requests the transmission.

Examples of the data file existing at different transmitting units need not necessarily be identical copies of the data file. At transmission of most file types, however, the transmission and the subsequent putting together of the segments are facilitated if the examples are essentially similar both regarding size and content.

A request for transmission of a segment of a data file is preferably transmitted to a plurality of transmitting units in such a way that only one request for transmission is initially transmitted for respective segment, and that the segments together constitute the entire file. Initially, preferably only one request for transmission of a segment of the data file is transmitted to respective transmitting unit.

According to a preferred embodiment of the invention, the transmission capacity of the transmitting units that first finish the requested transmission of a segment to the receiving unit, is also utilized for transmission of the 35 segments for which the transmission has started but not been finished. This is preferably done by, when the

15

35

WO 00/68835 PCT/SE00/00881

4

transmission of a segment has been finished, a request for a transmission of a segment that has not been completely transferred, i.e. where the transmission is still in progress, being transmitted to the transmitting unit that has finished its transmission. The advantage achieved by this embodiment of the invention is that a plurality of segments can be transmitted from the transmitting units with highest capacity without any check or estimation of the transmission speeds being needed before transmission of the data file is requested. This step is repeated until all segments of the data file have been transferred. Preferably, but not necessarily, all transmissions of segments of the data file in question that have not been finished, are broken.

To achieve as high a total transmission speed as possible, a check is first made, according to an embodiment of the invention, for which segment, or from which transmitting unit, the transmission speed has been lowest, i.e. where the largest portion of the segment still remains to be transferred. After that, transmission of just this segment of the data file is requested. The advantage of this is that the risk of a blocking caused by the transmission from a transmitting unit being stopped, or being performed very slowly, for instance due to overload of network or server, is eliminated.

According to yet another embodiment of the invention, transmission of only a portion of a segment is requested from the unit that has completed transmission of a segment. This portion constitutes the portion, or part of the portion, of the segment, where transmission has not yet been completed. By that, no request for transmission of any portion of the data file that has already been transferred to the receiving unit is made, which results in the advantage that the total transmission speed can be further improved.

30

WO 00/68835 PCT/SE00/00881

5

The portion of the segment for which transmission is requested can constitute the whole portion of the segment that remains to be transmitted, or, according to a preferred embodiment, a portion that constitutes a part of the remaining portion. How large part of the portion that shall be transferred is determined in relation to the transmission speeds for the transmitting unit that is busy transmitting the segment in question, and for the transmitting unit from which transmission of the part of the portion shall be requested. The size of said part of the portion is selected in such a way that the transmission of this part and the transmission of the remaining part of the portion, from the transmitting unit that has originally started the transmission of the segment, essentially takes the same time, which results in the advantage that the transfer time of this segment will be further shortened. The estimation of the transfer times is based on so far transmitted amount of the data file in question.

According to an alternative embodiment of the invention, the transmission speeds of the transmitting units that can be of current interest for the transmission of a data file, i.e., which have examples of the file in question, are estimated before transmission is requested. These estimated transmission speeds can with advantage be utilized to disregard the transmitting units with lowest transmission speeds. They also can be utilized to request transmission of segments of different sizes, where the size of respective segment is selected proportionally to respective transmission speed.

The present invention consequently results in the overall advantage that a sharing of the load that is caused by file transmission is effected in such a way that the route that on each occasion is least loaded will be most utilized for the transmission of the file in question. By that, the situation is also improved for the users who do

15

20

25

not make use of the procedure or the device according to the present invention.

It should be realized that the above discussed embodiments and characteristics can be combined in advantageous ways, depending on present application.

Further characteristics of the invention will be obvious by the following description of exemplifying embodiments of these and by the enclosed patent claims.

Brief description of the drawings

The invention now will be described by means of exemplified embodiments with reference to the enclosed figures, in which:

Figure 1 diagrammatically shows a system to effect a procedure according to the present invention.

Figure 2a-2d diagrammatically shows a course of events according to a preferred embodiment of the present invention.

Figure 3a-3d diagrammatically shows a course of events according to a preferred embodiment of the present invention, and

Figure 4a diagrammatically shows a step corresponding to the step that is shown in Figure 2a, respective 3a, of a course of events of an alternative embodiment of the present invention.

Detailed description of preferred embodiments

Figure 1 shows diagrammatically a system to effect the procedure according to embodiments of the invention. The system includes a receiving unit or computer 20 and a number of transmitting units or servers 30, 31, 32, 33, which all are interconnected by connection to a network 10, which in preferred embodiments is constituted by Internet. With respective server 30, 31, 32, 33 is stored at least

one example of a data file that one wants to have

20

transmitted to the computer 20. In order to facilitate the description, the number of illustrated servers has been limited to four, which should not be regarded as a limitation of, or recommendation for, suitable number of servers.

Communication between computer and server is best performed according to standardized and well-known IP-protocols.

With reference to the Figures 2a-2b is diagrammatically shown an example of a course of events according to a preferred embodiment of a procedure according to the present invention. According to this example is supposed that the file one wants to have transferred can be loaded home from four different servers. The reference indication 40 refers to a schematically illustrated data file, which one wants to have transferred to the computer 20, and the reference indications S1-S4 indicate segments of the file F. According to this example, home-loading of the file F is requested from the servers 30-31. More specific, home-loading is requested of a first segment S1 of the file F from a first server 30, of a second segment S2 from a second server 31, of a third segment S3 from a third server 32, and of a fourth segment S4 from a fourth server 33. This is illustrated in Figure 2a, where the figure under respective segment refers to the server 30-33 from which a transmission of respective segments S1-S4 has been requested, and where the arrow under respective segment illustrates how large part of the segment that has been transferred. As can be realized by the short arrows in Figure 2a, this figure illustrates that the home-loading of the segments S1-S4 from the different servers 30-33 just has started.

Figure 2b illustrates the transmission of the segments S1-S4 when the transmission has been going on for a certain period of time. As can be seen in the Figure, the transmission of segment S1 from the server 30 is slow; the

transmission of segment S2 from server 31 has been very fast and is already completed, whereas the transmission of the segments S3 and S4 from server 32 respective 33 is comparatively fast. When the home-loading of the segment S2 5 from server 31 is completed, the transmission is finished and transmission of one more segment of the data file F from server 31 is requested. Because segment S1 is the segment where the largest portion of the segment remains to be loaded home, transmission of just this segment is requested, which is illustrated in Figure 2c, just after that transmission of segment S1 from server 31 has been requested. As can be seen in Figure 2c the segment S1 is loaded home parallelly from both server 30 and 31 and the whole segment S1 is requested to be transferred from server 31.

The transmission/transfer of the data file is completed when the transfer of all segments S1-S4 of the data file is completed. As can be seen in Figure 2d, the server 31 has completed the transmission of segment S1, and the servers 32 and 33 have completed the transmission of segment S3 respective S4. Since the transmission of the segment S2 has previously been completed, all segments S1-S4 of the data file F have been transferred, and the transmission procedure can be stopped, i.e. the transmission in progress of segment S1 from server 30 is stopped. After that, the transmitted segments S1-S4 are put together, by the receiving computer, to the wanted file. In the described course of events, the transmission from the servers 31, 32 and 33 are completed essentially at the same 30 point of time, which is not necessarily the case. If the transmission of any segment has been completed while the transmission of any other segment has not been completed, this segment is requested to be transferred from the server that has just completed its transmission. This is after that repeated until all segments are completely transferred.

With reference to the Figures 3a-3d is shown diagrammatically a preferred embodiment of the invention. The Figures 3a and 3b show the course of events that was described above with reference to the Figures 2a and 2b, which, for that reason, will not be described in detail. In the same way as in the above described example, server 31 has completed the transmission of segment S2 and a transmission of segment S1, for which largest portion of the segment remains to be transmitted, is requested. At this request is taken into consideration how large part of the segment S1 that has already been transferred, i.e. it is only for that portion of the segment S1 that remains to be transmitted that transmission is requested. The transmission of the remaining portion of the segment S1 is then made parallelly, or, as is shown in Figure 3c, the transmission of the remaining portion of the segment S1 is shared between the server 30 and server 31.

At this sharing the transmission speeds for server 30 and 31 are taken into consideration, and the remaining portion of the segment S1 is shared proportionally to these transmission speeds. The current transmission speeds are based on the portion of the segments that have already been transmitted from respective server. This means that, if server 31 relieves server 30 of the remaining portion, which is illustrated by the reference indication S11 in Figure 3c, of the segment S1, and if the transmission from respective server is performed with the same speed as so far, the transmission of respective portion from the two servers 30, 31 will take essentially the same time.

Before transmission of the file is requested, the receiving computer 20 preferably first makes an estimation of the expected transmission speed from respective server, where examples of the wanted file are. This estimation is then used to select from which servers, which need not be all servers where examples of the files are, transmission of the file, or segment of the file, shall be requested.

According to an alternative embodiment, this estimation is also used, as is shown as an example in Figure 4a, to request transmission of segments S5-S8 of different sizes from the servers in question. According to this example, the transmission speed for server 30 has been estimated to be very high, so transmission of a larger segment S5 of the data file is requested from this server 31. The size of respective segment S5-S8 is determined preferably proportionally to the transmission speed for respective server 30-31. This means that the transmission from respective server 30-33 should take essentially the same time. If that is not the case, transmission of not completely transmitted segments is requested in the same way as has been described above.

Shown embodiments of the present invention can preferably be realized by implementation that utilizes File Transfer Protocol (FTP), which is a part of the IPstandard.

PATENT CLAIMS

 Procedure, for control of data file transmission between transmitting (30-33) and receiving units (20), at which examples of the data file (F) that shall be transmitted/transferred are stored at a plurality of transmitting units (30-33), including the steps

to request transmission of segments (S1-S4) of the data file (F) from a plurality of transmitting units (30-33), and

to receive said segments (S1-S4) from a plurality of transmitting units (30-33).

- Procedure, as claimed in patent claim 1, at which
 each separate segment (S1-S4) is transmitted from only one transmitting unit.
- Procedure, as claimed in patent claim 1 or 2, at which each separate transmitting unit transmits only one segment (S1-S4) of the file.
 - 4. Procedure, as claimed in patent claim 1, including the step
 - to, when the transmission of a segment (S1-S4) from a transmitting unit is completed, request transmission of one more segment (S1) of the data file (F) from said transmitting unit, at which the transmission of this one more segment (S1) from another transmitting unit has started.
 - Procedure, as claimed in patent claim 4, at which the step to request transmission of one more segment (S1-S4) includes the steps
- to determine for which segment (S1-S4) that largest portion of the segment (S1-S4) remains to be transmitted, and

20

to request transmission of this segment (S1).

 Procedure, as claimed in patent claim 4 or 5, at which the step to request transmission of one more segment (S1) includes the step

to request transmission of only a portion (S11) of said more segment (S1), at which this portion (S11) is included in the portion of the segment (S1) that has not yet been transferred.

7. Procedure, as claimed in patent claim 6, at which the step to request transmission of a portion (S11) of said segment (S1) includes the step

to determine how large portion of the segment (S1) that remains to be transferred,

to estimate the transmission speed for the transmitting unit (30) that is busy transmitting said segment (S1) and for the transmitting unit (31) from which transmission of said portion (S11) shall be requested,

to determine, depending on the estimated transmission speeds, how large said portion (S11) shall be, and to request transmission of said portion (S11).

 Procedure, as claimed in any of the previous patent claims, including the steps

to estimate the transmission speeds from respective transmitting unit (30-33), and $\,$

to request transmission of segments (S5-S8) of different sizes, at which the size of respective segment is determined on basis of the estimated transmission speeds.

Procedure, as claimed in any of the previous patent claims, including the step

to estimate the transmission speeds from respective $% \left(1\right) =\left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left(1\right) \left(1\right) +\left(1\right) \left(1\right$

to select transmitting units (30-33) for the transmission with regard to the estimated transmission speed from respective transmitting unit.

5 10. Device for control of data file transmission between transmitting (30-33) and receiving units (20), at which examples of the data file (F) that shall be transferred is stored at a plurality of transmitting units (30-33), including

device to request transmission of segments (S1-S4) of the data file (F) from a plurality of transmitting units (30-33), and

device to receive said segments (S1-S4) from a plurality of transmitting units (30-33).

15

10

- 11. Device, as claimed in patent claim 10, at which each separate segment (S1-S4) is transmitted from only one transmitting unit.
- 20 12. Device, as claimed in patent claim 10 or 11, at which each separate transmitting unit transmits only one segment (S1-S4) of the file.
- 13. Device, as claimed in patent claim 10, including
 25 device to, when the transmission of a segments (S1-S4) from
 a transmitting unit is completed, request transmission of
 one more segment (S1) of the data file (F) from said
 transmitting unit, at which the transmission of this one
 more segment (S1) from another transmitting unit has
 30 started.
 - 14. Device, as claimed in patent claim 13, at which the device to request transmission of one more segment (S1-S4) includes

device to determine for which segment (S1-S4) that largest portion of the segment (S1-S4) remains to be transmitted, and

device to request transmission of this segment (S1).

15. Device, as claimed in patent claim 13 or 14, at which the device to request transmission of one more segment (S1) includes

device to request transmission of only a portion (S11) of said segment (S1), at which this portion (S11) is included in that portion of the segment (S1) that has not yet been transferred.

16. Device, as claimed in patent claim 15, at which is the device to request transmission of a portion (S11) of said segment (S1), includes

device to determine how large portion of the segment (S1) that remains to be transferred,

device to estimate the transmission speed for the transmitting unit (30) which is busy transmitting said segment (S1) and for the transmitting unit (31) from which transmission of said portion (S11) shall be requested,

device to determine, depending on the estimated transmission speeds, the size of said portion (S11), and device to request transmission of said portion (S11).

17. Device, as claimed in any of the previous patent claims, including

device to estimate the transmission speeds from $_{30}$ respective transmitting unit (30-33), and

device to request transmission of segments (S5-S8) of different sizes, at which said device is arranged to determine the size of respective segment (S5-S8) on basis of the estimated transmission speeds. 18. Device, as claimed in any of the previous patent claims, including

device to estimate the transmission speeds from respective transmitting unit, and

device to select transmitting units (30-33) for the transmission with regard to the estimated transmission speed from respective transmitting unit.

AMENDED CLAIMS

16

[received by the International Bureau on 12 September 2000 (12.09.00); original claims 1-18 replaced by amended claims 1-14 (3 pages)]

- Procedure, for control of data file transmission between transmitting (30-33) and receiving units (20), at which examples of the data file (F) that shall be transmitted/transferred are stored at a plurality of transmitting units (30-33), including the steps
- to request transmission of segments (S1-S4) of the data file (F) from a plurality of transmitting units (30-33), and to receive said segments (S1-S4) from a plurality of transmitting units (30-33), when the transmission of a segment (S1-S4) from a transmitting unit is completed, request transmission of one more segment (S1) of the data file (F) from said transmitting unit, at which the transmission of this one more segment (S1) from another transmitting unit has started, at which the step to request transmission of one more segment (S1) includes the step
- to request transmission of only a portion (S11) of said more segment (S1), at which this portion (S11) is included in the portion of the segment (S1) that has not yet been transferred.
- Procedure, as claimed in patent claim 1, at which each separate segment (S1-S4) is transmitted from only one transmitting unit.
- Procedure, as claimed in patent claim 1 or 2, at which each separate transmitting unit transmits only one segment (S1-S4) of the file.
- 4. Procedure, as claimed in patent claim 1, at which the step to request transmission of one more segment (S1-S4) includes the steps
- to determine for which segment (S1-S4) that largest portion of the segment (S1-S4) remains to be transmitted, and to request transmission of this segment (S1).
- 5. Procedure, as claimed in patent claim 1, at which the step to request transmission of a portion (S11) of said segment (S1) includes the step

to determine how large portion of the segment (S1) that remains to be transferred,

to estimate the transmission speed for the transmitting unit (30) that is busy transmitting said segment (S1) and for the transmitting unit (31) from which transmission of said portion (S1) shall be requested,

- to determine, depending on the estimated transmission speeds, how large said portion (S11) shall be, and
 - to request transmission of said portion (S11).
- 6. Procedure, as claimed in any of the previous patent claims, including the steps
- to estimate the transmission speeds from respective transmitting unit (30-33), and
- to request transmission of segments (S5-S8) of different sizes, at which the size of respective segment is determined on basis of the estimated transmission speeds.
- 7. Procedure, as claimed in any of the previous patent claims, including the step

to estimate the transmission speeds from respective transmitting unit, and $% \left(1\right) =\left(1\right) \left(1\right)$

to select transmitting units (30-33) for the transmission with regard to the estimated transmission speed from respective transmitting unit.

8. Device for control of data file transmission between transmitting (30-33) and receiving units (20), at which examples of the data file (F) that shall be transferred is stored at a plurality of transmitting units (30-33), including

device to request transmission of segments (S1-S4) of the data file (F) from a plurality of transmitting units (30- 33), and

device to receive said segments (S1-S4) from a plurality of transmitting units (30-33), when the transmission of a segments (S1-S4) from a transmitting unit is completed, request transmission of one more segment (S1) of the data file (F) from said transmitting unit, at which the transmission of this one more segment (S1) from another transmitting unit has started, at which the device to request transmission of one more segment (S1) includes

device to request transmission of only a portion (S11) of said segment (S1), at which this portion (S11) is included in that portion of the segment (S1) that has not yet been transferred.

- Device, as claimed in patent claim 8, at which each separate segment (S1-S4) is transmitted from only one transmitting unit.
- 10. Device, as claimed in patent claim 8 or 9, at which each separate transmitting unit transmits only one segment (S1-S4) of the file.

11. Device, as claimed in patent claim 10, at which the device to request transmission of one more segment (S1-S4) includes

device to determine for which segment (S1-S4) that largest portion of the segment (S1-S4) remains to be transmitted, and device to request transmission of this segment (S1).

112.Device, as claimed in patent claim 11, at which the device to request transmission of a portion (S11) of said segment (S1), includes

device to determine how large portion of the segment (S1) that remains to be transferred,

device to estimate the transmission speed for the transmitting unit (30) which is busy transmitting said segment (S1) and for the transmitting unit (31) from which transmission of said portion (S11) shall be requested,

device to determine, depending on the estimated transmission speeds, the size of said portion (S11), and device to request transmission of said portion (S11).

13. Device, as claimed in any of the previous patent claims, including

device to estimate the transmission speeds from respective transmitting unit (30-33), and

device to request transmission of segments (S5-S8) of different sizes, at which said device is arranged to determine the size of respective segment (S5-S8) on basis of the estimated transmission speeds.

 $14.\ \mbox{Device},$ as claimed in any of the previous patent claims, including

device to estimate the transmission speeds from respective transmitting unit, and

device to select transmitting units (30-33) for the transmission with regard to the estimated transmission speed from respective transmitting unit.

PCT/SE00/00881

1/3




Fig. 4a





Fig. 2d



Declaration, Power of Attorney and Petition

Page 1 of 3

WE (I) the undersigned inventor(s), hereby declare(s) that:

My residence, post office address and citizenship are as stated below next to my name,

We (I) believe that we are (I am) the original, first and joint (sole) inventor(s) of the subject matter which is claimed and for which a patent is sought on the invention entitled				
PROCEDURE AND DEVICE FOR CONTROL OF DATA FILE TRANSMISSION				
the specification of which				
is attached hereto.				
was filed on as				
Application Serial No.				
and amended on				
was filed as PCT international application				
Number PCT/SE00/00881				
on May 3, 2000				
and was amended under PCT Article 19				
on (if applicable).				
We (I) hereby state that we (I) have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.				

We (I) acknowledge the duty to disclose information known to be material to the patentability of this application as defined in Section 1.56 of Title 37 Code of Federal Regulations.

We (I) hereby claim foreign priority benefits under 35 U.S.C. § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed. Prior Foreign Application(s)

Application No.	Country	Day/Month i car	Thomas	Thomy Chambo		
9901638-8	Sweden	6 May 1999	⊠ Yes	□ N		
We (I) hereby claim the benefit application(s) listed below.	it under Title 35, United State	s Code, § 119(e) of any United S	tates provision	nal		
(Application	n Number)	(Filing Date)	_			
(Applicatio	n Number)	(Filing Date)	_			

We (I) hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s), or under § 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR § 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application.

Joachim

Signature of Inventor

NAME OF FIRST SOLE INVENTOR

2007-11-19

. 1

Application Serial No.	Filing Date	Status (pending, patented, abandoned
PCT/SE00/00881	May 3, 2000	

And we (I) hereby appoint the following registered practitioner(s):



as our (my) attorneys, with full powers of substitution and revocation, to prosecute this application and to transact all business in the Patent Office connected therewith; and we (I) hereby request that all correspondence regarding this application be sent to



We (I) declare that all statements made herein of our (my) own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may Jeopardize the validity of the application or any patent issuing thereon.

Residence: Docentvagen 239, S-977 52 Lulea

Sweden

Sweden

same as above

Date	Address:	
20		
Anders Bergsten NAME/OF SECOND/JOIN INVENTOR	Residence:	Assistentvagen 254, S-977 52 Lules, Sweden
Indexs Borgs In	Citizen of:	Sweden
Signature of Inventor	Mailing	same as above

Citizen of:

Mailing

Address:

Niklas Borg
NAME OF THIRD JOIN INVENTOR

Signature of Inventor

V 2 07 (- 11 - 1 9 Address: Address: